

SONY

< X950G | LED | 4K ULTRA HD | HIGH DYNAMIC RANGE (HDR) | SMART TV (ANDROID TV™)

FULL SPECIFICATIONS AND FEATURES

4 Models	55" class (54.6" diag) XBR-55X950G	65" class (64.5" diag) XBR-65X950G	75" class (74.5" diag) XBR-75X950G
WHAT'S IN THE BOX	AC Power Cord Batteries Operating Instructions Quick Setup Guide Table Top Stand Voice Remote Control	AC Power Cord Batteries Operating Instructions Quick Setup Guide Table Top Stand Voice Remote Control	AC Power Cord Batteries Operating Instructions Quick Setup Guide Table Top Stand Voice Remote Control
MODEL YEAR	2019	2019	2019
Dimensions and Weight			
SCREEN SIZE (INCH, MEASURED DIAGONALLY)	55" (54.6")	65" (64.5")	75" (74.5")
	138.8 cm	163.9 cm	189.3 cm
DIMENSION OF TV WITHOUT STAND (W X H X D)	48 3/8 x 28 x 2 3/4" (1228x709 x69 mm)	57 x 32 7/8 x 2 3/4" (1447x832 x69 mm)	66 x 37 7/8 x 2 7/8" (1,674x961 x73 mm)
DIMENSION OF TV WITH STAND (W X H X D)	48 3/8 x 30 5/8 x 10 7/8" (1228x776x274 mm)	57 x 35 5/8 x 13 1/8" (1447x902x333 mm)	66 x 40 7/8 x 14 7/8" (1674x1036x376 mm)
DIMENSION OF TV WITH FLOOR STAND (W X H X D)	-	-	-
DIMENSION OF PACKAGE CARTON (W X H X D)	52 5/8 x 32 3/4 x 7 1/2 in (1334 x 831 x 190 mm)	61 1/4 x 37 5/8 x 7 5/8" (1,553 x 955 x 191 mm)	70 1/8 x 42 1/2 x 7 3/4 in (1780 x 1077 x 196 mm)
STAND WIDTH	40 1/8" (1018 mm)	47 3/4" (1211 mm)	56 1/8" (1425 mm)
VESA® HOLE PITCH(W X H)	11 7/8 x 11 7/8 inch / 300 x 300 mm	11 7/8 x 11 7/8 inch / 300 x 300 mm	15 3/4 x 11 7/8 inch / 400 x 300 mm

4 Models	55" class (54.6" diag) XBR-55X950G	65" class (64.5" diag) XBR-65X950G	75" class (74.5" diag) XBR-75X950G
WEIGHT OF TV WITHOUT STAND	39.7 lb (18 kg)	51.8 lb (23.5 kg)	77.6 lb (35.2 kg)
WEIGHT OF TV WITH STAND	42.1 lb (19.1 kg)	54.9 lb (24.9 kg)	82 lb (37.2 kg)
WEIGHT OF TV WITH FLOOR STAND	-	-	-
WEIGHT OF PACKAGE CARTON (GROSS)	26 kg (57.3 lb)	70.5 lb (32 kg)	108 lb (49 kg)
Connectivity			
WI-FI STANDARD	Wi-Fi Certified 802.11a/b/g/n/ac	Wi-Fi Certified 802.11a/b/g/n/ac	Wi-Fi Certified 802.11a/b/g/n/ac
ETHERNET INPUTS	1 (bottom)	1 (bottom)	1 (bottom)
BLUETOOTH PROFILE SUPPORT	Version 4.2; HID (mouse/keyboard connectivity)/HOGP (Low Energy device connectivity)/SPP (Serial Port Profile)/A2DP (stereo audio) ² /AVRCP (A/V remote control)	Version 4.2; HID (mouse/keyboard connectivity)/HOGP (Low Energy device connectivity)/SPP (Serial Port Profile)/A2DP (stereo audio) ² /AVRCP (A/V remote control)	Version 4.2; HID (mouse/keyboard connectivity)/HOGP (Low Energy device connectivity)/SPP (Serial Port Profile)/A2DP (stereo audio) ² /AVRCP (A/V remote control)
SMARTPHONE CONNECTIVITY	Chromecast built-in Video & TV SideView (iOS/Android)	Chromecast built-in Video & TV SideView (iOS/Android)	Chromecast built-in Video & TV SideView (iOS/Android)
RF (TERRESTRIAL/CABLE) CONNECTION INPUT(S)	1 (bottom)	1 (bottom)	1 (bottom)
IF (SATELLITE) INPUT(S)	No	No	No
COMPONENT VIDEO (Y/PB/PR) INPUT(S)	No	No	No
COMPOSITE VIDEO INPUT(S)	1 (Side)	1 (Side)	1 (Side)
RS-232C INPUT(S)	1 (Side)	1 (Side)	1 (Side)

4 Models	55" class (54.6" diag) XBR-55X950G	65" class (64.5" diag) XBR-65X950G	75" class (74.5" diag) XBR-75X950G
HDMI INPUTS TOTAL	4 (1 Side, 3 Bottom)	4 (1 Side, 3 Bottom)	4 (1 Side, 3 Bottom)
HDCP	HDCP 2.3 (for HDMI™ 1/2/3/4)	HDCP 2.3 (for HDMI™ 1/2/3/4)	HDCP 2.3 (for HDMI™ 1/2/3/4)
HDMI-CEC	Yes	Yes	Yes
MHL	No	No	No
HDMI AUDIO RETURN CHANNEL (ARC)	Yes (eARC)	Yes (eARC)	Yes (eARC)
DIGITAL AUDIO OUTPUT(S)	1 (Bottom)	1 (Bottom)	1 (Bottom)
HEADPHONE OUTPUT(S)	1 (Side)	1 (Side)	1 (Side)
AUDIO OUTPUT(S)	-	-	-
SUBWOOFER OUTPUT(S)	-	-	-
USB PORTS	2 (side), 1 (bottom)	2 (side), 1 (bottom)	2 (side), 1 (bottom)
USB HDD RECORDING	No	No	No
USB DRIVE FORMAT SUPPORT	FAT16/FAT32/exFAT/NTFS	FAT16/FAT32/exFAT/NTFS	FAT16/FAT32/exFAT/NTFS
USB PLAYBACK CODECS	MPEG1: MPEG1/MPEG2PS: MPEG2/MPEG2TS (HDV, AVCHD): MPEG2, AVC/MP4 (XAVCS): AVC, MPEG4, HEVC/AVI: Xvid, MotionJpeg/ASF (WMV): VC1/MOV: AVC, MPEG4, MotionJpeg/MKV: Xvid, AVC, MPEG4, VP8. HEVC/WEBM: VP8/3GPP: MPEG4, AVC/MP3/ASF (WMA)/WAV/MP4AAC/FLAC/JPEG; WEBM: VP9/AC4/ogg/AAC/ARW (Screen nail only)	MPEG1: MPEG1/MPEG2PS: MPEG2/MPEG2TS (HDV, AVCHD): MPEG2, AVC/MP4 (XAVCS): AVC, MPEG4, HEVC/AVI: Xvid, MotionJpeg/ASF (WMV): VC1/MOV: AVC, MPEG4, MotionJpeg/MKV: Xvid, AVC, MPEG4, VP8. HEVC/WEBM: VP8/3GPP: MPEG4, AVC/MP3/ASF (WMA)/WAV/MP4AAC/FLAC/JPEG; WEBM: VP9/AC4/ogg/AAC/ARW (Screen nail only)	MPEG1: MPEG1/MPEG2PS: MPEG2/MPEG2TS (HDV, AVCHD): MPEG2, AVC/MP4 (XAVCS): AVC, MPEG4, HEVC/AVI: Xvid, MotionJpeg/ASF (WMV): VC1/MOV: AVC, MPEG4, MotionJpeg/MKV: Xvid, AVC, MPEG4, VP8. HEVC/WEBM: VP8/3GPP: MPEG4, AVC/MP3/ASF (WMA)/WAV/MP4AAC/FLAC/JPEG; WEBM: VP9/AC4/ogg/AAC/ARW (Screen nail only)

4 Models	55" class (54.6" diag) XBR-55X950G	65" class (64.5" diag) XBR-65X950G	75" class (74.5" diag) XBR-75X950G
Picture (Panel)			
DISPLAY TYPE	LCD	LCD	LCD
DISPLAY RESOLUTION (H X V, PIXELS)	3840 x 2160	3840 x 2160	3840 x 2160
VIEWING ANGLE (X-WIDE ANGLE)	-	-	Yes
BACKLIGHT TYPE	Direct LED	Direct LED	Direct LED
BACKLIGHT DIMMING TYPE	Local Dimming	Local Dimming	Local Dimming
Picture (processing)			
HDR (HIGH DYNAMIC RANGE) COMPATIBILITY	Yes (HDR10, HLG, Dolby Vision)	Yes (HDR10, HLG, Dolby Vision)	Yes (HDR10, HLG, Dolby Vision)
PICTURE PROCESSOR	Picture Processor X1™ Ultimate	Picture Processor X1™ Ultimate	Picture Processor X1™ Ultimate
CLARITY ENHANCEMENT	4K X-Reality™ PRO Dual database processing Object-based Super Resolution	4K X-Reality™ PRO Dual database processing Object-based Super Resolution	4K X-Reality™ PRO Dual database processing Object-based Super Resolution
COLOR ENHANCEMENT	Live Color™ Technology Precision Color Mapping Super bit mapping™ HDR TRILUMINOS™ Display	Live Color™ Technology Precision Color Mapping Super bit mapping™ HDR TRILUMINOS™ Display	Live Color™ Technology Precision Color Mapping Super bit mapping™ HDR TRILUMINOS™ Display
CONTRAST ENHANCEMENT	Dynamic Contrast Enhancer Object-based HDR remaster X-tended Dynamic Range™ PRO	Dynamic Contrast Enhancer Object-based HDR remaster X-tended Dynamic Range™ PRO	Dynamic Contrast Enhancer Object-based HDR remaster X-tended Dynamic Range™ PRO
MOTION ENHANCER (NATIVE HZ)	X-Motion Clarity, Auto mode	X-Motion Clarity, Auto mode	X-Motion Clarity, Auto mode

4 Models	55" class (54.6" diag) XBR-55X950G	65" class (64.5" diag) XBR-65X950G	75" class (74.5" diag) XBR-75X950G
VIDEO SIGNAL SUPPORT	HDMI™ signal: 4096 x 2160p (24, 60 Hz), 3840 x 2160p (24, 30, 60 Hz), 1080p (30, 60, 120 Hz), 1080/24p, 1080i (60 Hz), 720p (30, 60 Hz), 720/24p, 480p	HDMI™ signal: 4096 x 2160p (24, 60 Hz), 3840 x 2160p (24, 30, 60 Hz), 1080p (30, 60, 120 Hz), 1080/24p, 1080i (60 Hz), 720p (30, 60 Hz), 720/24p, 480p	HDMI™ signal: 4096 x 2160p (24, 60 Hz), 3840 x 2160p (24, 30, 60 Hz), 1080p (30, 60, 120 Hz), 1080/24p, 1080i (60 Hz), 720p (30, 60 Hz), 720/24p, 480p
PICTURE MODES	Vivid, Standard, Cinema, Game, Graphics, Photo, Custom, Dolby Vision Bright, Dolby Vision Dark, Netflix calibrated	Vivid, Standard, Cinema, Game, Graphics, Photo, Custom, Dolby Vision Bright, Dolby Vision Dark, Netflix calibrated	Vivid, Standard, Cinema, Game, Graphics, Photo, Custom, Dolby Vision Bright, Dolby Vision Dark, Netflix calibrated

Sound (Speakers and Amplifier)

AUDIO POWER OUTPUT	10 W+10 W	10 W+10 W	10 W+10 W
SPEAKER TYPE	Acoustic Multi-Audio	Acoustic Multi-Audio	Acoustic Multi-Audio
SPEAKER CONFIGURATION	Full Range (Bass Reflex) x2, Tweeter x2	Full Range (Bass Reflex) x2, Tweeter x2	Full Range (Bass Reflex) x2, Tweeter x2

Sound (Processing)

DOLBY AUDIO FORMAT SUPPORT	Dolby™ Audio (Dolby™ Digital, Dolby™ Digital Plus, Dolby™ AC-4)	Dolby™ Audio (Dolby™ Digital, Dolby™ Digital Plus, Dolby™ AC-4)	Dolby™ Audio (Dolby™ Digital, Dolby™ Digital Plus, Dolby™ AC-4)
DTS AUDIO FORMAT SUPPORT	DTS Digital Surround	DTS Digital Surround	DTS Digital Surround
FM RADIO	No	No	No
SOUND PROCESSING	No	No	No
SIMULATED SURROUND SOUND	S-Force Front Surround	S-Force Front Surround	S-Force Front Surround
SOUND MODES	Standard, Dialog, Theater, Music, Sports, Dolby Audio	Standard, Dialog, Theater, Music, Sports, Dolby Audio	Standard, Dialog, Theater, Music, Sports, Dolby Audio

4 Models	55" class (54.6" diag) XBR-55X950G	65" class (64.5" diag) XBR-65X950G	75" class (74.5" diag) XBR-75X950G
TV CENTER SPEAKER MODE	-	-	-
Software			
OPERATING SYSTEM	Android™	Android™	Android™
ON-BOARD STORAGE (GB)	16 GB	16 GB	16 GB
DISPLAY LANGUAGE	ENGLISH/SPANISH/FRENCH	ENGLISH/SPANISH/FRENCH	ENGLISH/SPANISH/FRENCH
TEXT INPUT LANGUAGE	ENGLISH / FRENCH / GERMAN / HEBREW / ITALIAN / PORTUGUESE / RUSSIAN / SPANISH / VIETNAMESE / JAPANESE	ENGLISH / FRENCH / GERMAN / HEBREW / ITALIAN / PORTUGUESE / RUSSIAN / SPANISH / VIETNAMESE / JAPANESE	ENGLISH / FRENCH / GERMAN / HEBREW / ITALIAN / PORTUGUESE / RUSSIAN / SPANISH / VIETNAMESE / JAPANESE
CONTENT BAR	No	No	No
VOICE SEARCH	(Voice Search) Yes ³ / (Built-in Mic) Yes	(Voice Search) Yes ³ / (Built-in Mic) Yes	(Voice Search) Yes ³ / (Built-in Mic) Yes
ELECTRONIC PROGRAM GUIDE (EPG)	Yes	Yes	Yes
INTERNET BROWSER	Vewd (not pre-installed)	Vewd (not pre-installed)	Vewd (not pre-installed)
APPLICATION STORE	Yes (Google Play Store)	Yes (Google Play Store)	Yes (Google Play Store)
ON/OFF TIMER	Yes	Yes	Yes
SLEEP TIMER	Yes	Yes	Yes
TELETEXT	No	No	No
AUTO CALIBRATION WITH CALMAN®	Yes ⁴	Yes ⁴	Yes ⁴
TWIN PICTURE	No	No	No

4 Models	55" class (54.6" diag) XBR-55X950G	65" class (64.5" diag) XBR-65X950G	75" class (74.5" diag) XBR-75X950G
CLOSED CAPTIONS (ANALOG/DIGITAL)	(Analog) Closed Caption (Digital)Closed Caption	(Analog) Closed Caption (Digital)Closed Caption	(Analog) Closed Caption (Digital)Closed Caption
Power and Energy saving			
ENERGY LEVEL RATING	-	-	-
SCREEN SIZE (CM, MEASURED DIAGONALLY)	138.8 cm	163.9 cm	189.3 cm
SCREEN SIZE (INCH, MEASURED DIAGONALLY)	55" (54.6")	65" (64.5")	75" (74.5")
POWER CONSUMPTION (IN OPERATION)	235 W	292 W	350 W
ANNUAL POWER CONSUMPTION *	263 kWh/Year	321 kWh/Year	401 kWh/Year
POWER CONSUMPTION (IN STANDBY)	0.5 W	0.5 W	0.5 W
POWER CONSUMPTION (NETWORKED STANDBY MODE) – TERMINALS	-	-	-
	-	-	-
PRESENCE OF LEAD	No	No	No
MERCURY CONTENT (MG)	-	-	-
POWER CONSUMPTION (ON MODE) FOR ENERGY STAR	-	-	-
POWER CONSUMPTION (STANDBY MODE) FOR ENERGY STAR	-	-	-
ENERGY STAR® COMPLIANT	-	-	-

4 Models	55" class (54.6" diag) XBR-55X950G	65" class (64.5" diag) XBR-65X950G	75" class (74.5" diag) XBR-75X950G
POWER REQUIREMENTS (VOLTAGE/FREQUENCY)	60 Hz for UL cUL 50/60 Hz for other AC 120 V for UL cUL AC 110-240 V for other	60 Hz for UL cUL 50/60 Hz for other AC 120 V for UL cUL AC 110-240 V for other	60 Hz for UL cUL 50/60 Hz for other AC 120 V for UL cUL AC 110-240 V for other
POWER SAVING MODE/BACK LIGHT OFF MODE	Yes	Yes	Yes
DYNAMIC BACKLIGHT CONTROL	Yes	Yes	Yes
LIGHT SENSOR	Yes	Yes	Yes
Design			
FRAME COLOR	Black	Black	Black
STAND DESIGN	Dark Silver	Dark Silver	Dark Silver
Built-in Tuner			
NUMBER OF TUNERS (TERRESTRIAL/CABLE)	1(Digital/Analog)	1(Digital/Analog)	1(Digital/Analog)
NUMBER OF TUNERS (SAT)	-	-	-
TV SYSTEM (ANALOG)	M	M	M
TUNER CHANNEL COVERAGE (ANALOG)	VHF: 2-13/UHF: 14-69/CATV: 1-135	VHF: 2-13/UHF: 14-69/CATV: 1-135	VHF: 2-13/UHF: 14-69/CATV: 1-135
TV SYSTEM (DIGITAL TERRESTRIAL)	ATSC	ATSC	ATSC
TUNER CHANNEL COVERAGE (DIGITAL TERRESTRIAL)	VHF: 2-13/UHF: 14-69	VHF: 2-13/UHF: 14-69	VHF: 2-13/UHF: 14-69
TV SYSTEM (DIGITAL CABLE)	Clear QAM	Clear QAM	Clear QAM
TUNER CHANNEL COVERAGE (DIGITAL CABLE)	CATV: 1-135	CATV: 1-135	CATV: 1-135

4 Models	55" class (54.6" diag) XBR-55X950G	65" class (64.5" diag) XBR-65X950G	75" class (74.5" diag) XBR-75X950G
TV SYSTEM (DIGITAL SAT)	-	-	-
CI+	-	-	-
Accessibility			
SCREEN READER	Yes	Yes	Yes
AUDIO DESCRIPTION (AUDIO KEY)	Video Description	Video Description	Video Description
CLOSED CAPTION	Closed Caption	Closed Caption	Closed Caption
TEXT MAGNIFICATION	Yes	Yes	Yes
ACCESSIBILITY SHORTCUT	Yes	Yes	Yes
SWITCH ACCESS	Yes	Yes	Yes
VOICE SEARCH	Yes ³	Yes ³	Yes ³

4 Models	85" class (84.6" diag) XBR-85X950G
WHAT'S IN THE BOX	AC Power Cord Batteries Operating Instructions Quick Setup Guide Table Top Stand Voice Remote Control
MODEL YEAR	2019
Dimensions and Weight	
SCREEN SIZE (INCH, MEASURED DIAGONALLY)	85" (84.6")
	214.8 cm
DIMENSION OF TV WITHOUT STAND (W X H X D)	75 1/4 x 43 3/8 x 2 7/8 inch/1,910x1,099x73 mm
DIMENSION OF TV WITH STAND (W X H X D)	75 1/4 x 46 1/2 x 16 1/4 inch/1,910x1,179x412 mm
DIMENSION OF TV WITH FLOOR STAND (W X H X D)	-
DIMENSION OF PACKAGE CARTON (W X H X D)	79 7/8 x 48 1/2 x 11 1/4 inch/2,026 x 1,231 x 284 mm
STAND WIDTH	69 5/8 inch/1,766 mm
VESA® HOLE PITCH(W X H)	15 3/4 x 15 3/4" (400 x 400 mm)
WEIGHT OF TV WITHOUT STAND	101.4 lb/46 kg
WEIGHT OF TV WITH STAND	108 lb (49 kg)
WEIGHT OF TV WITH FLOOR STAND	-
WEIGHT OF PACKAGE CARTON (GROSS)	141 lb (64 kg)

4 Models	85" class (84.6" diag) XBR-85X950G
Connectivity	
WI-FI STANDARD	Wi-Fi Certified 802.11a/b/g/n/ac
ETHERNET INPUTS	1 (bottom)
BLUETOOTH PROFILE SUPPORT	Version 4.2; HID (mouse/keyboard connectivity)/HOGP (Low Energy device connectivity)/SPP (Serial Port Profile)/A2DP (stereo audio) ² /AVRCP (AV remote control)
SMARTPHONE CONNECTIVITY	Chromecast built-in Video & TV SideView (iOS/Android)
RF (TERRESTRIAL/CABLE) CONNECTION INPUT(S)	1 (bottom)
IF (SATELLITE) INPUT(S)	No
COMPONENT VIDEO (Y/PB/PR) INPUT(S)	No
COMPOSITE VIDEO INPUT(S)	1 (Side)
RS-232C INPUT(S)	1 (Side)
HDMI INPUTS TOTAL	4 (1 Side, 3 Bottom)
HDCP	HDCP 2.3 (for HDMI™ 1/2/3/4)
HDMI-CEC	Yes
MHL	No
HDMI AUDIO RETURN CHANNEL (ARC)	Yes (eARC)

4 Models	85" class (84.6" diag) XBR-85X950G
DIGITAL AUDIO OUTPUT(S)	1 (Bottom)
HEADPHONE OUTPUT(S)	1 (Side)
AUDIO OUTPUT(S)	-
SUBWOOFER OUTPUT(S)	-
USB PORTS	2 (side), 1 (bottom)
USB HDD RECORDING	No
USB DRIVE FORMAT SUPPORT	FAT16/FAT32/exFAT/NTFS
USB PLAYBACK CODECS	MPEG1: MPEG1/MPEG2PS: MPE G2/MPEG2TS (HDV, AVCHD): MP EG2, AVC/MP4 (XAVC S): AVC, M PEG4, HEVC/AVI: Xvid, MotionJp eg/ASF (WMV): VC1/MOV: AVC, MPEG4, MotionJpeg/MKV: Xvi d, AVC, MPEG4, VP8. HEVC/WEB M: VP8/3GPP: MPEG4, AVC/MP 3/ASF (WMA)/WAV/MP4AAC/FL AC/JPEG; WEBM: VP9/AC4/og g/AAC/ARW (Screen nail only)
Picture (Panel)	
DISPLAY TYPE	LCD
DISPLAY RESOLUTION (H X V, PIXELS)	3840 x 2160
VIEWING ANGLE (X-WIDE ANGLE)	Yes
BACKLIGHT TYPE	Direct LED
BACKLIGHT DIMMING TYPE	Local Dimming

4 Models	85" class (84.6" diag) XBR-85X950G
Picture (processing)	
HDR (HIGH DYNAMIC RANGE) COMPATIBILITY	Yes (HDR10, HLG, Dolby Vision)
PICTURE PROCESSOR	Picture Processor X1™ Ultimate
CLARITY ENHANCEMENT	4K X-Reality™ PRO Dual database processing Object-based Super Resolution
COLOR ENHANCEMENT	Live Color™ Technology Precision Color Mapping Super bit mapping™ HDR TRILUMINOS™ Display
CONTRAST ENHANCEMENT	Dynamic Contrast Enhancer Object-based HDR remaster X-tended Dynamic Range™ PR O
MOTION ENHANCER (NATIVE HZ)	X-Motion Clarity, Auto mode
VIDEO SIGNAL SUPPORT	HDMI™ signal: 4096 x 2160p (24, 30, 60 Hz), 3840 x 2160p (24, 30, 60 Hz), 1080p (30, 60, 120 Hz), 1080/24p, 1080i (60 Hz), 720p (30, 60 Hz), 720/24p, 480p
PICTURE MODES	Vivid, Standard, Cinema, Game, Graphics, Photo, Custom, Dolby Vision Bright, Dolby Vision Dark, Netflix calibrated
Sound (Speakers and Amplifier)	
AUDIO POWER OUTPUT	10 W+10 W
SPEAKER TYPE	Acoustic Multi-Audio

4 Models	85" class (84.6" diag) XBR-85X950G
SPEAKER CONFIGURATION	Full Range (Bass Reflex) x2, Tweeter x2
Sound (Processing)	
DOLBY AUDIO FORMAT SUPPORT	Dolby™ Audio (Dolby™ Digital, Dolby™ Digital Plus, Dolby™ AC-4)
DTS AUDIO FORMAT SUPPORT	DTS Digital Surround
FM RADIO	No
SOUND PROCESSING	No
SIMULATED SURROUND SOUND	S-Force Front Surround
SOUND MODES	Standard, Dialog, Theater, Music, Sports, Dolby Audio
TV CENTER SPEAKER MODE	-
Software	
OPERATING SYSTEM	Android™
ON-BOARD STORAGE (GB)	16 GB
DISPLAY LANGUAGE	ENGLISH/SPANISH/FRENCH
TEXT INPUT LANGUAGE	ENGLISH / FRENCH / GERMAN / HEBREW / ITALIAN / RUSSIAN / SPANISH / VIETNAMESE / JAPANESE
CONTENT BAR	No

4 Models	85" class (84.6" diag) XBR-85X950G
VOICE SEARCH	(Voice Search) Yes ³ / (Built-in Mic) Yes
ELECTRONIC PROGRAM GUIDE (EPG)	Yes
INTERNET BROWSER	Vewd (not pre-installed)
APPLICATION STORE	Yes (Google Play Store)
ON/OFF TIMER	Yes
SLEEP TIMER	Yes
TELETEXT	No
AUTO CALIBRATION WITH CALMAN®	Yes ⁴
TWIN PICTURE	No
CLOSED CAPTIONS (ANALOG/DIGITAL)	(Analog) Closed Caption (Digital) Closed Caption
Power and Energy saving	
ENERGY LEVEL RATING	-
SCREEN SIZE (CM, MEASURED DIAGONALLY)	214.8 cm
SCREEN SIZE (INCH, MEASURED DIAGONALLY)	85" (84.6")
POWER CONSUMPTION (IN OPERATION)	417 W
ANNUAL POWER CONSUMPTION*	475 kWh/Year
POWER CONSUMPTION (IN STANDBY)	0.5 W

4 Models	85" class (84.6" diag) XBR-85X950G
POWER CONSUMPTION (NETWORKED STANDBY MODE) – TERMINALS	-
	-
PRESENCE OF LEAD	No
MERCURY CONTENT (MG)	-
POWER CONSUMPTION (ON MODE) FOR ENERGY STAR	-
POWER CONSUMPTION (STANDBY MODE) FOR ENERGY STAR	-
ENERGY STAR® COMPLIANT	-
POWER REQUIREMENTS (VOLTAGE/FREQUENCY)	60 Hz for UL cUL 50/60 Hz for other AC 120 V for UL cUL AC 110-240 V for other
POWER SAVING MODE/BACK LIGHT OFF MODE	Yes
DYNAMIC BACKLIGHT CONTROL	Yes
LIGHT SENSOR	Yes
Design	
FRAME COLOR	Black
STAND DESIGN	Dark Silver
Built-in Tuner	
NUMBER OF TUNERS (TERRESTRIAL/CABLE)	1(Digital/Analog)
NUMBER OF TUNERS (SAT)	-

4 Models	85" class (84.6" diag) XBR-85X950G
TV SYSTEM (ANALOG)	M
TUNER CHANNEL COVERAGE (ANALOG)	VHF: 2-13/UHF: 14-69/CATV: 1-1 35
TV SYSTEM (DIGITAL TERRESTRIAL)	ATSC
TUNER CHANNEL COVERAGE (DIGITAL TERRESTRIAL)	VHF: 2-13/UHF: 14-69
TV SYSTEM (DIGITAL CABLE)	Clear QAM
TUNER CHANNEL COVERAGE (DIGITAL CABLE)	CATV: 1-135
TV SYSTEM (DIGITAL SAT)	-
CI+	-
Accessibility	
SCREEN READER	Yes
AUDIO DESCRIPTION (AUDIO KEY)	Video Description
CLOSED CAPTION	Closed Caption
TEXT MAGNIFICATION	Yes
ACCESSIBILITY SHORTCUT	Yes
SWITCH ACCESS	Yes
VOICE SEARCH	Yes ³